

Del 1

- American Psychiatric Association (APA) (2013). *Diagnostic and Statistical Manual of Mental Disorders: DSM-5* (5 uppl.). Arlington: American Psychiatric Association (APA).
- American Psychiatric Association (APA) (1980). *Diagnostic and Statistical Manual of Mental Disorders: DSM-5* (3rd Edition). Washington, DC: American Psychiatric Association (APA).
- Allport, G.W. & Odber, H.S. (1936). Trait-Names: A Psycho-Lexical Study. *Psychol Monographs*, 47(1), 1–171. Princeton, NJ, Psychological Review Company.
- Alnæs, R. & Torgersen, S. (1988). DSM-III symptom disorders (Axis I) and personality disorders (Axis II) in an outpatient population. *Acta Psychiatr Scand*, 78(3), 348–355.
- Adolphs, R. (2002). Recognizing emotion from facial expressions: psychological and neurological mechanisms. *Behav Cogn Neurosci Rev*, 1(1), 21–62.
- Bandura, A. (1986). *Social foundations of thought and action: a social cognitive theory*. Englewood Cliffs, N.J.:Prentice-Hall.
- Bandura, A. (1999). Social cognitive theory of personality. In L.A. Pervin & O.J. John (red.), *Handbook of personality: theory and research* (2 uppl.) (s. 154–196). New York: Guilford.
- Barnow, S., Stopsack, M., Ulrich, I., Falz, S., Dukeck, M., Spitzer, C., ... Freyberger, H.J. (2010). Prevalence and familiarity of personality disorders in Germany: results of the Greifswald family study. *Psychother Psychosom Med Psychol*, 60(9–10), 334–341.
- Bateman, A. & Fonagy, P. (2010). Mentalization based treatment for borderline personality disorder. *World Psychiatry*, 9(1), 11–15.
- Beck, A., Freeman, A. & Davis, D. (2004). *Cognitive Therapy of Personality Disorders*, 2nd Edition. New York, Guilford.
- Beck, J.S. (2011). *Cognitive Behavior Therapy: Basics and Beyond*, 2nd Edition. New York, Guilford.
- Beckwith, H., Moran, P.F. & Reilly, J. (2014). Personality disorder prevalence in psychiatric outpatients: a systematic literature review. *Personal Ment Health*, 8(2), 91–101.
- Bender, D.S., Skodol, A.E., First, M.B. & Oldham, J.M. (2018). *Structured clinical interview for the DSM-5 alternative model for personality disorders (SCID-5-AMPD) module I: structured clinical interview for the level of personality functioning scale*. Arlington, VA: American Psychiatric Association Publishing.
- Bender, D.S., Skodol, A.E., First, M.B. & Oldham, J.M. (2018). *Structured clinical interview for the DSM-5 alternative model for personality disorders (SCID-5-AMPD) module II: personality traits*. Arlington, VA: American Psychiatric Association Publishing.
- Benjamin, L.S. (1993). Dimensional, categorical or hybrid analyses of personality: a response to Widiger's proposal. *Psychol Inquiry*, 4(2), 91–132.
- Bernstein, D.P., Iscan, C., Maser, J. & Boards of Directors of the Association for Research in Personality Disorders; International Society for the Study of Personality Disorders (2007). Opinions of personality disorder experts regarding the DSM-IV personality disorders classification system. *J Pers Disord*, 21(5), 536–551.
- Bertsch, K., Grothe, M., Prehn, K. et al. (2013). Brain volumes differ between diagnostic groups of violent criminal offenders. *Eur Arch Psychiatry Clin Neuroscience*, 263(7), 593–606.
- Bertsch, K., Gamer, M., Schmidt, B., Schmidinger, I., Walther, S., Kästel, T., ... Herpertz, S.C. (2014). Oxytocin and reduction of social threat hypersensitivity in women with borderline personality disorder. *Am J Psychiatry*, 170(10), 1169–1177.

- Black, D.W., Blum, N., Pfhol, B. & Hale, N. (2004). Suicidal behavior in borderline personality disorder: prevalence, risk factors, prediction, and prevention. *J Pers Disord*, 18(3), 226–239.
- Blashfield, R.K. (1993). Variants of categorical and dimensional models. *Psychol Inquiry*, 4(2), 95–98.
- Brunner, R., Henze, R., Parzer, P., Kramer, J., Feigl, N., Lutz, K., ... Stieltjes, B. (2010). Reduced prefrontal and orbitofrontal gray matter in female adolescents with borderline personality disorder: is it disorder specific? *Neuroimage*, 49(1), 114–120.
- Catell, R.B. (1943). The Description of Personality: Basic traits resolved into clusters. *Journal of Abnormal and Social Psychology*, 38(4), 476–506.
- Carvalho Fernando, S., Beblo, T. & Schlosser, N. (2013). Acute glucocorticoid effects on response inhibition in borderline personality disorder. *Psychoneuroendocrinology* 38,(11), 2780–2788.
- Chanen, A.M. & Thompson, K.N (2019). The age of onset of personality disorders. I G. de Girolamo, P.D. McGorry & N. Sartorius (red.), *Age of onset of mental disorders: etiopathogenetic and treatment implications* (s. 183–203). Cham, Switzerland: Springer International Publishing.
- Costa, P.T. & McCrae, R.R. (1990). Personality disorders and the five factor models of personality. *J Pers Disord*, 4(4), 362–371.
- Deckers, J.W.M., Lobbestael, J., van Wingren GA, et al (2015). The influence of stress on social cognition in patients with borderline personality disorder. *Psychoneuroendocrinology*, 52, 119–129.
- Domes, G., Schulze, L. & Herpertz, S. (2009). Emotion recognition in borderline personality disorder: a review of the literature. *J Pers Disord*, 23(1), 6–19.
- Erikson, E.H. (1956). The problem of ego identity. *J Am Psychoanal Assoc*, 4(1), 56–121.
- Eysenck, H. (1967). *The Biological Basis of personality*. Springfield, IL, Charles C Thomas.
- Eysenck, H. (1981). *A Model for Personality*. New York, Springer-Verlag.
- Eysenck, H. (1990). Biological dimensions of personality, in *Handbook of Personality: Theory and Research*. Edited by Pervin LA. New York, Guilford. pp 244–276.
- Fairbairn, W.R.D. (1952). *An object-relations theory of the personality*. New York: Basic Books.
- First, M.B., Gibbon, M., Spitzer, R.L., Williams, J.B.W., Benjamin, L.S. (1997). Structured clinical interview for DSM-IV Axis II personality disorders (SCID-II). Washington DC: American Psychiatric Press.
- Frances, A. (1980). The DSM-III personality disorders section: a commentary. *Am J Psychiatry*, 137(9), 1050–1054.
- Freud, S. (1915). *Driften och driftöden. Samlade skrifter: IX*. Stockholm: Natur och Kultur, 2003.
- Freud, S. (1917). *Sorg och melankoli. Samlade skrifter: IX*. Stockholm: Natur och Kultur, 2003.
- Freud, S. (1920). *Bortom lustprincipen. Samlade skrifter: IX*. Stockholm: Natur och Kultur, 2003.
- Freud, S. (1923). *Jaget och detet. Samlade skrifter: IX*. Stockholm: Natur och Kultur, 2003.
- Freud, S. (1937). *Den ändliga och den oändliga analysen. Samlade skrifter: VIII*. Stockholm. Natur och Kultur, 2002.
- Freud, S. (1940). *Psykoanalysens huvudlinjer. Samlade skrifter: IX*. Stockholm. Natur och Kultur, 2003.

- Fonagy, P., Luyten, P., Allison, E. & Campbell, C. (2017). What we changed our minds about: Part 1. Borderline personality disorder as a limitation of resilience. *Borderline Personal Disord Emot Dysregul*. Apr 11;4:11. doi: 10.1186/s40479-017-0061-9. eCollection 2017. PMID: 28413687
- Golomb, M., Fava, M., Abraham, M. & Rosenbaum, J.F. (1995). Gender differences in personality disorders. *Am J Psychiatry*, 152(4), 579–582.
- Grant, B.F., Chou, S.P., Goldstein, R.B., Huang, B., Stinson, F.S., Saha, T.D., ... Ruan, W.J. (2008). Prevalence, correlates, disability, and comorbidity of DSM-IV borderline personality disorder: results from the Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions. *J Clin Psychiatry*, 69(4), 533–545.
- Gunderson, J.G. (1984). *Borderline personality disorder*. Washington, D.C.: American Psychiatric Press.
- Gunderson, J.G., Carpenter Jr, W.T. & Strauss, J.S. (1975). Borderline and schizophrenic patients: a comparative study. *Am J Psychiatry*, 132(12), 1257–1264.
- Gunderson, J.G., Stout, R.L., McGlashan, T.H., et al. (2011). Ten-year course of borderline personality disorder: Psychopathology and functioning from the Collaborative Longitudinal Personality Disorders Study. *Arch Gen Psychiatry*, 68(8), 827–37.
- Gunderson, J.G., Herpertz, S.C., Skodol, A.E., Torgersen, S. & Zanarini, M. (2018). Borderline personality disorder. *Nat Rev Dis Primers*, 4, 18029.
- Haller J. (2013). The neurobiology of abnormal. Manifestations of aggression- a review of hypothalamic mechanisms in cats, rodents, and humans. *Brain Res Bull*, 93, 97–109.
- Hazlett, E.A., New, A.S., Newmark, R., Haznedar, M.M., Lo, J.N., Speiser, L.J., ... Buchsbaum, M.S. (2005). Reduced anterior and posterior cingulate gray matter in borderline personality disorder. *Biol Psychiatry*, 58(8), 614–623.
- Hazlett, E.A., Zhang, J. et al. (2012). Potentiated Amygdala Response to Repeated Emotional Pictures in Borderline Personality Disorder. *Biological Psychiatry*, 72(16), 448–456.
- Hopwood, C.J., Morey, L.C., Donella, M.B. et al. (2013). Ten-year rank -order stability of personality traits and disorders in a clinical sample. *J Pers* 81, 335–344.
- Jacobson, E. (1954). *The self and the object world*. New York: International Universities Press.
- Kernberg, O.F. (1967). Borderline personality organization. *J Am Psychoanal Assoc*, 15(3), 641–685.
- Kernberg, O.F. (1975). *Borderline conditions and pathological narcissism*. New York: Aronson.
- Kernberg, O.F. (1976). Technical considerations in the treatment of borderline personality organization. *J Am Psychoanal Assoc*, 24(4), 795–829.
- Kernberg, O.F. (1984). *Severe personality disorders: psychotherapeutic strategies*. New Haven, CT: Yale University Press.
- Kernberg, O.F. (2006). Identity: recent findings and clinical implications. *Psychoanal Q*, 75(4), 969–1003.
- Kimmel, C.L., Alhassoon, O.M., Wollman, S.C., Stern, M.J., Perez-Figueroa, A., Hall, M.G. ... Radua, J. (2016). Age-related parieto-occipital and other gray matter changes in borderline personality disorder: a meta-analysis of cortical and subcortical structures. *Psychiatry Res Neuroimaging*, 251, 15–25.
- King-Casas, B., Sharp, C., Lomax-Bream, L., et al. (2008). The rupture and repair of cooperation in borderline personality disorder. *Science* 321, 806–810.
- Klein, M. (1946). Notes on some schizoid mechanisms. *Int J Psychoanal*, 27, 99–110.

- Klein, M. (1937). *Kärlek, skuld och gottgörelse*. Melanie Klein i urval av Ludvig Ingra och Lars Sjögren. Övers. Ingeborg Löfgren i samarbete med Ludvig Igra och Lars Sjögren. Stockholm: Natur och Kultur, 1988.
- Koenigsberg, H.W., Fan, J., Ochsner, K.N., Liu, X., Guise, K.G., Pizzarello, S., ... Siever, L.J. (2009). Neural correlates of the use of psychological distancing to regulate responses to negative social cues: a study of patients with borderline personality disorder. *Biol Psychiatry*, 66(9), 854–863.
- Kohut, H. (1971). *The analysis of the self. A Systematic Approach to the Psychoanalytic Treatment of Narcissistic Personality Disorders*. New York: International Universities Press.
- Kohut, H. (1977). *The Restoration of the Self*. Madison, WI: International Universities Press. I svensk översättning (1986). *Att bygga upp självet*. Stockholm: Natur och Kultur.
- Kuhlmann, A., Bertsch, K., Schmidinger, I., Thomann, P.A. & Herpertz, S.C. (2013). Morphometric differences in central stress-regulating structures between women with and without borderline personality disorder. *J Psychiatry Neurosci*, 38(2), 129–137.
- Lenzenweger, M.F., Lane, M.C., Loranger, A.W. & Kessler, R.C. (2007). DSM-IV personality disorders in the national comorbidity survey replication. *Biol Psychiatry*, 62(6), 553–564.
- Lieb K, Zanarini MC, Schmahl C, et al. (2004). Borderline personality disorder. *Lancet*, 364(9432), 453-461.
- Liebermann, L.P. (1964). Case history of a borderline personality. *Br J Med Psychology*, 37(4), 301–312.
- Lindal, E. & Stefansson, J.G. (2009). The prevalence of personality disorders in the greater-Reykjavik area. *Laeknabladid*, 95(3), 179–184.
- Linehan, M.M. (1987). Dialectical behavior therapy for borderline personality disorder: theory and method. *Bull Menninger Clin*, 51(3), 261–276.
- Linehan, M.M. (1993). *Cognitive-behavioral treatment of borderline personality disorder*. New York: Guilford Press.
- Linehan, M.M. (2015). *DBT skills training manual* (2 uppl.). New York: The Guilford Press.
- Linehan, M.M. (2020). *Building a life worth living: a memoir*. New York: Random House.
- Mancke, F., Herpertz, S.C., Hirjak, D., Knies, R. & Bertsch, K. (2018). Amygdala structure and aggressiveness in borderline personality disorder. *Eur Arch Psychiatry Clin Neurosci*, 268(4), 417–427.
- Martin-Blanco, A., Ferrer, M., Soler, J. (2016). The role of hypothalamus-pituitary-adrenal genes and childhood trauma in borderline personality disorder. *Eur Arch Psychiatry Clin Neurosci*, 266(4), 307–316.
- McCrae, R.R. & Costa Jr, P.T. (1990). *Personality in adulthood*. New York: Guilford.
- McCrae, R.R. & John, O.P. (1992). An introduction to the five-factor model and its applications. *J Pers*, 60(2), 175–215.
- McCrae, R.R., Costa Jr, P.T. (1997). Personality trait structure as a human universal. *Am Psychol*, 52(5), 509–516.
- McGowan, P.O., Sasaki, A., D'Alessio, A.C., Dymov, S., Labonte, B., Szyf, M. et al. (2009). Epigenetic regulation of the glucocorticoid receptor in human brain associated with childhood abuse. *Nature Neuroscience*, 12(3), 342–348.
- Meehan, K.B., De Panfilis, C., Cain, N.M. et al. (2017). Facial emotion recognition and borderline personality pathology. *Psychiatry Res*, 255, 347–354.

- Mier D., Lis S. & Esslinger C. (2013). Neuronal correlates of social cognition in borderline personality disorder. *Soc Cogn Affect Neuroscience*, 8(5), 531–537.
- Minzenberg, M.J., Fan, J., New, A.S., Tang, C.Y. & Siever, L.J. (2008). Frontolimbic structural changes in borderline personality disorder. *J Psychiatr Res*, 42(9), 727–733.
- Mischel, W. (1973). Toward a cognitive social learning reconceptualization of personality. *Psychol Rev*, 80(4), 252–283.
- Mischel, W. (1990). Personality dispositions revisited: a view after three decades. I L.A. Pervin (red.), *Handbook of personality: theory and research* (s. 111–134). New York: Guilford Press.
- Moran, P., Jenkins, R., Tylee, A., Blizard, R. & Mann, A. (2000). The prevalence of personality disorder among UK primary care attenders. *Acta Psychiatr Scand*, 102(1), 52–57.
- Morey, L.C., Berghuis, H., Bender, D.S., Verheul, R., Krueger, R.F. & Skodol, A.E. (2011). Toward a model for assessing level of personality functioning in DSM-5, part II: empirical articulation of a core dimension of personality pathology. *J Pers Assess*, 93(4), 347–353.
- Morey, L.C., Bender, D.S. & Skodol, A.E. (2013). Validating the proposed diagnostic and statistical manual of mental disorders, 5th edition, severity indicator for personality disorder. *J Nerv Ment Dis*, 201(9), 729–735.
- Morey, L.C., Skodol, A.E. & Oldham, J.M. (2014). Clinician judgments of clinical utility: a comparison of DSM-IV-TR personality disorders and the alternative model for DSM-5 personality disorders. *J Abnorm Psychol*, 123(2), 398–405.
- Morey, L.C., Benson, K.T., Busch, A.J. & Skodol, A.E. (2015). Personality disorders in DSM-5: emerging research on the alternative model. *Curr Psychiatry Rep*, 17(25), 558.
- NE (u.å.). *Borderline*. Tillgänglig: ne.se/uppslagsverk/encyklopedi/lång/borderline
- NE (u.å.). *Identitet*. Tillgänglig: ne.se/uppslagsverk/encyklopedi/lång/identitet
- NE (u.å.). *Personlighetspsykologi*. Tillgänglig: ne.se/uppslagsverk/encyklopedi/lång/personlighetspsykologi
- New, A.S., Hazlett, E.A., Buchsbaum, M.S., et al. (2007). Amygdala-prefrontal disconnection in borderline personality disorder. *Neuropsychopharmacology*, 32(7), 1629–1640.
- Nunes, P.M., Wenzel, A., Borges, K.T., Porto, C.R., Caminha, R.M. & de Oliveira, I.R. (2009). Volumes of the hippocampus and amygdala in patients with borderline personality disorder: a meta-analysis. *J Pers Disord*, 23(4), 333–345.
- Olson, L., m.fl. *Hjärnan*. (2007). Karolinska Institutets University Press.
- Rahm, Christoffer. (2018). *Neurovetenskaplig psykiatri*. Natur & Kultur.
- Rinne, T., de Kloet, E.R. & Wouters, L., (2002). Hyperresponsiveness of hypothalamic-pituitary-adrenal axis to combined dexamethasone/corticotropin-releasing hormone challenge in female borderline personality disorder subjects with a history of sustained childhood abuse. *Biol Psychiatry*, 52(11), 1102–1112.
- Schulze, L., Domes, G., Krüger, A., Berger, C., Fleischer, M., Prehn, K., ... Herpertz, S.C. (2011). Neuronal correlates of cognitive reappraisal in borderline patients with affective instability. *Biol Psychiatry*, 69(6), 564–573.
- Skodol, A.E., Gunderson, J.G., Pfohl, B., Widiger, T.A., Livesley, W.J. & Siever, L.J. (2002). The borderline diagnosis I: psychopathology, comorbidity, and personality structure. *Biol Psychiatry*, 51(12), 936–950.

- Soloff, P., Nutche, J., Goradia, D. & Diwadkar, V. (2008). Structural brain abnormalities in borderline personality disorder: a voxel-based morphometry study. *Psychiatry Res*, 164(3), 223–226.
- Soloff, P.H., Pruitt, P., Sharma, M. et al. (2012). Structural brain abnormalities and suicidal behavior in borderline personality disorder. *J Psychiatr Res*, 46, 516–525.
- Stanley, B. & Siever, L.J. (2010). The interpersonal dimension of borderline personality disorder: toward a neuropeptide model. *Am J Psychiatry*, 167(1), 24–39.
- Svenska psykiatriska föreningen (2017). *Personlighetssyndrom: kliniska riktlinjer för utredning och behandling*. Stockholm: Gothia Fortbildning.
- Torgersen, S. (2012). Epidemiology. In: Widiger T.A. (red.), *The Oxford handbook of personality disorders* (s. 186–205). Oxford: Oxford University Press.
- Torgersen, S., Kringlen, E. & Cramer, V. (2001). The prevalence of personality disorders in a community sample. *Arch Gen Psychiatry*, 58(6), 590–596.
- Ullrich, S. & Coid, J. (2009). The age distribution of self-reported personality disorder traits in a household population. *J Pers Disord*, 23(2), 187–200.
- Venta, A., Sharp, C., Fonagy, P. & Fletcher, J. (2021). *Developmental psychopathology*. Hoboken, NJ: Wiley-Blackwell.
- Volkert, J., Gablonski, T.C. & Rabung, S. (2018). Prevalence of personality disorders in the general adult population in Western countries: systematic review and meta-analysis. *Br J Psychiatry*, 213(6), 709–715.
- Världshälsoorganisationen (WHO) (1990). *The ICD-10 classification of mental and behavioural disorders: clinical descriptions and diagnostic guidelines*. Tillgänglig: [who.int/classifications/icd/en/bluebook.pdf](https://www.who.int/classifications/icd/en/bluebook.pdf)
- World Health Organization (1992). *The International Statistical Classification of Diseases and Related Health Problems*, Tenth Edition, ICD-10. Genève: WHO.
- World Health Organization (2018). *The International Classification of Diseases (ICD-11)*. <https://www.who.int/standards/classifications/classification-of-diseases>.
- Wagner, A.W. & Linehan, M.M. (1999). Facial expression recognition ability among women with borderline personality disorder: implications for emotion regulation? *J Pers Disord*, 13(4), 329–344.
- Westen, D., Lohr, N., Silk, K.R. & Gold, L. (1990). Object relations and social cognition in borderlines, major depressives, and normals: a thematic appreciation test analysis. *Psychol Assess*, 2(4), 355–364.
- Widiger, T.A., Trull, T.J., Clarkin, J.F., Sanderson, C. & Costa, P.T. (2002). A description of the DSM-IV personality disorder with the five-factor model of personality. I P.T. Costa & T.A. Widiger (red.), *Personality disorders and the five-factor model of personality* (s. 89–99). Washington, DC: American Psychological Association.
- Wingenfeld, K., Driessen, M., Adam, B., et al. (2007). Overnight urinary cortisol release in women with borderline personality disorder depends on comorbid PTSD and depressive psychopathology. *Eur Psychiatry*, 22(5), 309–312.
- Zanarini, M., Temes, C. M., Frankenburg, F.R. et al. (2018). Description and prediction of time-to-attainment of excellent recovery for borderline patients followed prospectively for 20 years. *Psychiatry Res*, 262, 40–45.

Del 2

- American Psychiatric Association (APA) (2013). *Diagnostic and statistical manual of mental disorders: DSM-5* (5 uppl.). Arlington: American Psychiatric Association (APA).
- Azim, H.F.A., Piper, W.E., Segal, P.M., Nixon, G.W.H. & Duncan, S. (1991). The quality of object relations scale. *Bull Menninger Clin*, 55(3), 323–343.
- Bach, B., Sellbom, M., Kongerslev, M., Simonsen, E., Krueger, R.F. & Mulder, R. (2017). Deriving ICD-11 personality disorder domains from DSM-5 traits: initial attempt to harmonize two diagnostic systems. *Acta Psychiatr Scand*, 136(1), 108–117.
- Bach, B. & First, M.B. (2018). Application of the ICD-11 classification of personality disorders. *BMC Psychiatry*, 18(1), 351.
- Beckwith, H., Moran, P.F. & Reilly, J. (2014). Personality disorder prevalence in psychiatric outpatients: a systematic literature review. *Personal Ment Health*, 8(2), 91–101.
- Bender, D.S., Morey, L.C. & Skodol, A.E. (2011). Toward a model for assessing level of personality functioning in DSM-5, part I: a review of theory and methods. *J Pers Assess*, 93(4), 332–346.
- Bender, D.S., Skodol, A.E., First, M.B. & Oldham, J.M. (2018). *Structured clinical interview for the DSM-5 alternative model for personality disorders (SCID-5-AMPD) module I: structured clinical interview for the level of personality functioning scale*. Arlington, VA: American Psychiatric Association Publishing.
- Bender, D.S., Skodol, A.E., First, M.B. & Oldham, J.M. (2018). *Structured clinical interview for the DSM-5 alternative model for personality disorders (SCID-5-AMPD) module II: personality traits*. Arlington, VA: American Psychiatric Association Publishing.
- Berghuis, H., Kamphuis, J.H. & Verheul, R. (2012). Core features of personality disorder: differentiating general personality dysfunctioning from personality traits. *J Pers Disord*, 26(5), 704–716.
- Berman, A.H., Wennberg, P. & Källmén, H. (2017). *AUDIT och DUDIT: identifiera problem med alkohol och droger* (2 uppl.). Stockholm: Gothia Fortbildning.
- Bers, S.A., Blatt, S.J., Sayward, H.K. & Johnston, R.S. (1993). Normal and pathological aspects of self-descriptions and their change over long-term treatment. *Psychoanal Psychol*, 10(1), 17–37.
- Bjureberg, J., Ljótsson, B., Tull, M.T., Hedman, E., Sahlin, H., Lundh, L.G., ... Gratz, K.L. (2015). Development and validation of a brief version of the difficulties in emotion regulation scale: the DERS-16. *J Psychopathol Behav Assess*, 38(2), 284–296.
- Bohus, M., Limberger, M.F., Frank, U., Chapman, A.L., Kühler, T. & Stieglitz, R.D. (2007). Psychometric properties of the borderline symptom list (BSL). *Psychopathology*, 40(2), 126–132.
- Buer Christensen, T., Paap, M.C.S., Arnesen, M., Koritzinsky, K., Nysæter, T.E., Eikenæs, I., ... Hummelen, B. (2018). Interrater reliability of the structured clinical interview for the DSM-5 alternative model of personality disorders module I: level of personality functioning scale. *J Pers Assess*, 100(6), 630–641.
- Clarkin, J.F., Caligor, E., Stern, B. & Kernberg, O.F. (2016). *The structured interview of personality organization – revised (STIPO-R)*. Tillgänglig: borderlinedisorders.com/structured-interview-of-personality-organization.php
- Crawford, M.J., Koldobsky, N., Mulder, R. & Tyrer, P. (2011). Classifying personality disorder according to severity. *J Pers Disord*, 25(3), 321–330.

- Diamond, D., Stovall-McClough, C., Clarkin, J.F. and Levy, K.N. (2003). Patient–therapist attachment in the treatment of borderline personality disorder. *Bulletin of the Menninger Clinic*, 67(3), 227–259.
- Diguer, L., Pelletier, S., Hebert, E., Descoteaux, J., Rousseau, P. and Daoust, J.-P. (2004). Personality organizations, psychiatric severity, and self and object representations. *Psychoanalytic Psychology*, 21(2), 259–275.
- Donegan, N.H., Sanislow, C.A.; Blumberg, H.P., Fulbright, R.K., Lacadie, C., Skuldarski, P., ... Wexler, B.E. (2003). Amygdala hyperreactivity in borderline personality disorder: implications for emotional dysregulation. *Biol Psychiatry*, 54(11), 1284–1293.
- Egidius, H. (u.å.). *Psykologilexikon*. Tillgänglig: psykologiguiden.se/psykologilexikon
- Eikenæs, I., Hummelen, B., Abrahamsen, G., Andrea, H. & Wilberg, T. (2013). Personality functioning in patients with avoidant personality disorder and social phobia. *J Pers Disord*, 27(6), 746–763.
- Fonagy, P., Target, M., Steele, H. and Steele, M. (1998). *Reflective-functioning manual, version 5.0, for application to adult attachment interviews*, London, UK: University College London.
- Frances, A. (1980). The DSM-III personality disorders section: a commentary. *Am J Psychiatry*, 137(9), 1050–1054.
- Frances, A. (1993). Dimensional diagnosis of personality: not whether, but when and which. *Psychol Inq*, 4(2), 110–111.
- Grant, B.F., Hasin, D.S., Stinson, F.S., Dawson, D.A., Chou, S.P., Ruan, W.J. & Huang, B. (2005). Co-occurrence of 12-month mood and anxiety disorders and personality disorders in the US: results from the national epidemiologic survey on alcohol and related conditions. *J Psychiatr Res*, 39(1), 1–9.
- Gratz, K.L. (2001). Measurement of deliberate self-harm: preliminary data on the deliberate self-harm inventory. *J Psychopathol Behav Assess*, 23(4), 253–263.
- Grilo, C.M., Sanislow, C.A., Skodol, A.E., Gunderson, J.G., Stout, R.L., Bender, D.S., ... McGlashan, T.H. (2007). Longitudinal diagnostic efficiency of DSM-IV criteria for borderline personality disorder: a 2-year prospective study. *Can J Psychiatry*, 52(6), 357–362.
- Gunderson, J.G. (2011). Clinical practice: borderline personality disorder. *N Engl J Med*, 364(21), 2037–2042.
- Gunderson, J.G. & Lyons-Ruth, K. (2008). BPD's interpersonal hypersensitivity phenotype: a gene-environment-developmental model. *J Pers Disord*, 22(1), 22–41.
- Hilsenroth, M.J., Stein, M.B. & Pinsker, J. (2004). *Social cognition and object relations scale: global rating method (SCORS-G)* [opublicerat manuskript]. Garden City, NY: The Derner Institute of Advanced Psychological Studies, Adelphi University.
- Hopwood, C.J. (2018). A framework for treating DSM-5 alternative model for personality disorder features. *Pers Ment Health*, 12(2), 107–125.
- Hummelen, B., Braeken, J., Buer Christensen, T., Nysaeter, T.E., Germans Selvik, S., Walther, K., ... Paap, M.C.S. (2020). A psychometric analysis of the structured clinical interview for the DSM-5 alternative model for personality disorders module I (SCID-5-AMPD-I): level of personality functioning scale, *Assessment*, 28(5), 1320–1333.
- Huprich, S.K., Nelson, S.M., Meehan, K.B., Siefert, C.J., Haggerty, G., Sexton, J., ... Baade, L. (2018). Introduction of the DSM-5 levels of personality functioning questionnaire. *Personal Disord*, 9(6), 553–563.

- Hutsebaut, J., Feenstra, D.J. & Kamphuis, J.H. (2016). Development and preliminary psychometric evaluation of a brief self-report questionnaire for the assessment of the DSM-5 level of personality functioning scale: the LPFS brief form (LPFS-BF). *Personal Disord*, 7(2), 192–197.
- Hyman, S.E. (2010). The diagnosis of mental disorders: the problem of reification. *Annu Rev Clin Psychol*, 6, 155–179.
- Hörz-Sagstetter, S., Caligor, E., Preti, E., Stern, B., De Panfilis, C. & Clarkin, J. (2018). Clinician-guided assessment of personality using the structural interview and the structured interview of personality organization (STIPO). *J Pers Assess*, 100(1), 30–42.
- Johansen, M., Karterud, S., Pedersen, G., Gude, T. & Falkum, E. (2004). An investigation of the prototype validity of the borderline DSM-IV construct. *Acta Psychiatr Scand*, 109(4), 289–298.
- Jovev, M. & Jackson, H.J. (2004). Early maladaptive schemas in personality disordered individuals. *J Pers Disord*, 18(5), 467–478.
- Kernberg, O.F. (1984). *Severe personality disorders: psychotherapeutic strategies*. New Haven, CT: Yale University Press.
- Kotov, R., Krueger, R.F. & Watson, D. (2018). A paradigm shift in psychiatric classification: the hierarchical taxonomy of psychopathology (HiTOP). *World Psychiatry*, 17(1), 24–25.
- Krueger, R.F., Skodol, A.E., Livesley, W.J., Shrout, P.E. & Huang, Y. (2008). Synthesizing dimensional and categorical approaches to personality disorders: refining the research agenda for DSM-IV Axis II. I J.E. Helzer, H.C. Kraemer, R.F. Krueger, H.U. Wittchen, P.J. Sirovatka & D.A. Regier (red.), *Dimensional approaches to diagnostic classification: refining the research agenda for DSM-V* (85–100). Washington, DC: American Psychiatric Association.
- Krueger, R.F., Derringer, J., Markon, K.E., Watson, D. & Skodol, A.E. (2012). Initial construction of a maladaptive personality trait model and inventory for DSM-5. *Psychol Med*, 42(9), 1879–1890.
- Krueger, R.F. & Markon, K.E. (2014). The role of the DSM-5 personality trait model in moving toward a quantitative and empirically based approach to classifying personality and psychopathology. *Annu Rev Clin Psychol*, 10(1), 477–501.
- Krueger, R.F. & Hobbs, K.A. (2020). An overview of the DSM-5 alternative model of personality disorders. *Psychopathology*, 53(3–4), 126–132.
- Lejuez, C.W., Daughters, S.B., Nowak, J.A., Lynch, T., Rosenthal, M.Z. & Kosson, D. (2003). Examining the inventory of interpersonal problems as a tool for conducting analogue studies of mechanisms underlying borderline personality disorder. *J Behav Ther Exp Psychiatry*, 34(3–4), 313–324.
- Moran, P., Jenkins, R., Tylee, A., Blizzard, R. & Mann, A. (2000). The prevalence of personality disorder among UK primary care attenders. *Acta Psychiatr Scand*, 102(1), 52–57.
- Morey, L.C. (2005). Personality pathology as pathological narcissism. I M. Maj, H.S. Akiskal, J.E. Mezzich & Okasha, A. (red.), *World psychiatric association series: evidence and experience in psychiatry* (328–331). New York: Wiley.
- Morey, L.C. (2017). Development and initial evaluation of a self-report form of the DSM-5 level of personality functioning scale. *Psychol Assess*, 29(10), 1302–1308.
- Morey, L.C., Berghuis, H., Bender, D.S., Verheul, R., Krueger, R.F. & Skodol, A.E. (2011). Toward a model for assessing level of personality functioning in DSM-5, part II: empirical articulation of a core dimension of personality pathology. *J Pers Assess*, 93(4), 347–353.

- Morey, L.C., Bender, D.S. & Skodol, A.E. (2013). Validating the proposed diagnostic and statistical manual of mental disorders, 5th edition, severity indicator for personality disorder. *J Nerv Ment Dis*, 201(9), 729–735.
- Morey, L.C. & Bender, D.S. (2014). Articulating a core dimension of personality pathology. I J.M. Oldham, A.E. Skodol & D.S. Bender (red.), *The American psychiatric publishing textbook of personality disorders* (39–54). Washington, DC: American Psychiatric Association.
- Morey, L.C., Skodol, A.E. & Oldham, J.M. (2014). Clinician judgments of clinical utility: a comparison of DSM-IV-TR personality disorders and the alternative model for DSM-5 personality disorders. *J Abnorm Psychol*, 123(2), 398–405.
- Morey, L.C., Benson, K.T., Busch, A.J. & Skodol, A.E. (2015). Personality disorders in DSM-5: emerging research on the alternative model. *Curr Psychiatry Rep*, 17(25), 558.
- NE (u.å.). *Jaggynton*. Tillgänglig: ne.se/uppslagsverk/encyklopedi/lång/jagsynton
- Oldham, J.M., Skodol, A.E., Kellman, H.D., Hyler, S.E., Rosnick, L. & Davies, M. (1992). Diagnosis of DSM-III-R personality disorders by two structured interviews: patterns of comorbidity. *Am J Psychiatry*, 149(2), 213–220.
- Pfohl, B., Blum, N., John, D.St., McCormick, B., Allen, J. & Black, D.W. (2009). Reliability and validity of the borderline evaluation of severity over time (BEST): a self-rated scale to measure severity and change in persons with borderline personality disorder. *J Pers Disord*, 23(3), 281–293.
- Ranger, M., Methuen, C., Rutter, D., Rao, B. & Tyrer, P. (2004). Prevalence of personality disorder in the caseload of an inner city assertive outreach team. *Psychiatr Bull*, 28, 441–43.
- Region Stockholm (u.å.). *Utökad utredning av emotionellt instabilt personlighetssyndrom (EIPS)*. Tillgänglig: psykiatri.sll.se/om-oss/vart-arbetssatt/utokad-utredning/eips
- Region Stockholm Psykiatristöd (2016). *Emotionellt instabilt personlighetssyndrom – EIPS*. Tillgänglig psykiatristod.se/regionala-vardprogram/emotionellt-instabilt-personlighetssyndrom---eips
- Ritvo, R.A., Ritvo, E.R., Guthrie, D., Ritvo, M.J., Hufnagel, D.H., McMahon, W., Tonge, B., ... Eloff, J. (2011). The Ritvo autism asperger diagnostic scale – revised (RAADS-R): a scale to assist the diagnosis of autism spectrum disorder in adults – an international validation study. *J Autism Dev Disord*, 41(8), 1076–1089.
- Salvatore, G., Nicolo, G. & Dimaggio, G. (2005). Impoverished dialogical relationship patterns in paranoid personality disorder. *Am J Psychother*, 59(3), 247–265.
- Skodol, A.E., Stout, R.L., McGlashan, T.H., Grilo, C.M., Gunderson, J.G., Shea, M.T., ... Oldham, J.M. (1999). Co-occurrence of mood and personality disorders: a report from the collaborative longitudinal personality disorders study (CLPS). *Depress Anxiety*, 10(4), 175–182.
- Skodol, A.E., Gunderson, J.G., Shea, T.M., McGlashan, T.H., Morey, L.C., Sanislow, C.A., Bender, D.S., ... Stout, R.L. (2005). The collaborative longitudinal personality disorders study (CLPS): overview and implications. *J Pers Disord*, 19(5), 487–504.
- Skodol, A.E., Clark, L.A., Bender, D.S., Krueger, R.F., Morey, L.C., Verheul, R., ... Oldham, J.M. (2011). Proposed changes in personality and personality disorder assessment and diagnosis for DSM-5 part I: description and rationale. *J Pers Disord*, 2(1), 4–22.
- Skodol, A.E., Morey, L.C., Bender, D.S. & Oldham, J.M. (2015). The alternative DSM-5 model for personality disorders: a clinical application. *Am J Psychiatry*, 172(7), 606–613.

- Somma, A., Krueger, R.F., Markon, K.E. & Fossati, A. (2019). The replicability of the personality inventory for DSM-5 domain scale factor structure in U.S. and non-U.S. samples: a quantitative review of the published literature. *Psychol Assess, 31*(7), 861–877.
- Stern, B.L., Caligor, E., Roose, S.P. & Clarkin, J.F. (2004). The structured interview for personality organization (STIPO). *J Am Psychoanal Assoc, 52*(4), 1223–1224.
- Stern, B.L., Caligor, E., Clarkin, J.F., Critchfield, K.L., Horz, S., MacCornack, V. & Kernberg, O.F. (2010). Structured interview of personality organisation (STIPO): preliminary psychometrics in a clinical sample. *J Pers Assess, 92*(1), 35–44.
- Tyrer, P. & Alexander, J. (1979). Classification of personality disorder. *Br J Psychiatry, 135*(2), 163–67.
- Tyrer, P., Mitchard, S., Methuen, C., Ranger, M. (2003). Treatment rejecting and treatment seeking personality disorders: type R and type S. *J Pers Disord, 17*(3), 263–68.
- Tyrer, P., Seivewright, H. & Johnson, T. (2004). The Nottingham Study of Neurotic Disorder: predictors of 12-year outcome of dysthymic, panic and generalized anxiety disorder. *Psychol Med, 34*(8), 1385–94.
- Tyrer, P., Coombs, N., Ibrahimi, F. et al. (2007). Critical developments in the assessment of personality disorder. *Br J Psychiatry Suppl, 49* (suppl 49), 51–59.
- Tyrer, P., Crawford, M., Mulder, R.T., Blashfield, R., Farnam, A., Fossati, A., ... Reed, G.M. (2011). The rationale for the reclassification of personality disorder in the 11th revision of the International Classification of Diseases (ICD-11). *Pers Ment Health, 5*(4), 246–259.
- Tyrer, P., Crawford, M., Mulder, R., and the ICD-11 Working Group for the Revision of Classification of Personality Disorders. (2011). Reclassifying personality disorders. *Lancet, 377*(9780), 1814–15.
- Tyrer, P., Crawford, M., Sanatinia, R. et al. (2014). Preliminary studies of the ICD-11 classification of personality disorder in practice. *Personal Ment Health, 8*, 254–63.
- Tyrer, P., Reed, G.M. & Crawford, M.J. (2015). Classification, assessment, prevalence, and effect of personality disorder. *Lancet, 385*(9969), 717–726.
- Tyrer, P., Mulder, R., Kim, Y.R. & Crawford, M.J. (2019). The development of the ICD-11 classification of personality disorders: an amalgam of science, pragmatism, and politics. *Annu Rev Clin Psychol, 15*, 481–502.
- Verheul, R. & Widiger, T.A. (2004). A meta-analysis of the prevalence and usage of the personality disorder not otherwise specified (PDNOS) diagnosis. *J Pers Disord, 18*(4), 309–319.
- Verheul, R., Andrea, H., Berghout, C.C., Dolan, C., Busschbach, J.J.V., van der Kroft, P.J.A., ... Fonagy, P. (2008). Severity indices of personality problems (SIPP-118): development, factor structure, reliability, and validity. *Psychol Assess, 20*(1), 23–34.
- Volkert, J., Gablonski, T.C. & Rabung, S. (2018). Prevalence of personality disorders in the general adult population in Western countries: systematic review and meta-analysis. *Br J Psychiatry, 213*(6), 709–715.
- Världshälsoorganisationen (WHO) (1993). *The ICD-10 Classification of Mental and Behavioural Disorders: clinical descriptions and diagnostic guidelines*. Tillgänglig: who.int/classifications/icd/en/bluebook.pdf

- Världshälsoorganisationen (WHO) (2015). *Mätning av hälsa och funktionshinder: manual till WHO:s formulär för bedömnin av funktionshinder "WHO disability assessment schedule" (WHODAS 2.0)*. Tillgänglig: socialstyrelsen.se/globalassets/sharepoint-dokument/artikelkatalog/ovrigt/2015-5-1.pdf
- Världshälsoorganisationen (WHO) (2018). *Clinical descriptions and diagnostic guidelines for mental and behavioural disorders (ICD-11)*. Tillgänglig: icd.who.int
- Världshälsoorganisationen (WHO) (2018). *International statistical classification of diseases and related health problems (ICD-11)*. Tillgänglig who.int/standards/classifications/classification-of-diseases
- Wagner, A.W. & Linehan, M.M. (1999). Facial expression recognition ability among women with borderline personality disorder: implications for emotion regulation? *J Pers Disord*, 13(4), 329–344.
- Watters, C.A. & Bagby, M.R. (2018). A meta-analysis of the five factor internal structure of the personality inventory for DSM-5. *Psychol Assess*, 30(9), 1255–1260.
- Weschler, David (1939). *The measurement of adult intelligence*. Baltimore: Williams & Wilkins.
- Westen, D., Barends, A., Leigh, J., Mendel, M. & Silbert, D. (1990). *Social cognition and object relations scale (SCORS): manual for coding interview data* [opublicerat manuskript]. Ann Arbor, MI: University of Michigan.
- Widiger, T. (2005). A dimensional model of psychopathology. *Psychopathology*, 38(4), 211–214.
- Widiger, T.A. & Trull, T.J. (2007). Plate tectonics in the classification of personality disorder: shifting to a dimensional model. *Am Psychol*, 62(2), 71–83.
- Widiger, T.A., Livesley, W.J. & Clark, L.A. (2009). An integrative dimensional classification of personality disorder. *Psychol Assess*, 21(3), 243–255.
- Widiger, T.A. & Oltmanns, J.R. (2016). The ICD-11 proposals and field trials. *Personal Mental Health*, 10(2), 120–122.
- Widiger, T.A., Bach, B., Chmielewski, M., Clark, L.A., De Young, C., Hopwood, C.J., ... Thomas, K.M. (2019). Criterion A of the AMPD in HiTOP. *J Pers Assess*, 101(4), 345–355.
- Zanarini, M.C., Frankenburg, F.R., Hennen, J. et al. (2003). The longitudinal course of borderline psychopathology: 6-year prospective follow-up of the phenomenology of borderline personality disorder. *Am J Psychiatry* 160(2), 274–283.
- Zanarini, M.C., Frankenburg, F.R., Reich, D.B. & Fitzmaurice, G. (2010). Time to attainment of recovery from borderline personality disorder and stability of recovery: a 10-year prospective follow-up study. *Am J Psychiatry*, 167(6), 663–667.
- Zimmermann, J., Kerber, A., Rek, K., Hopwood, C.J. & Krueger, R.F. (2019). A brief but comprehensive review of research on the alternative DSM-5 model for personality disorders. *Curr Psychiatry Rep*, 21(9), 92.
- Zimmerman, M., Rothchild, L. & Chelminski, I. (2005). The prevalence of DSM-IV personality disorders in psychiatric outpatients. *Am J Psychiatry*, 162(10), 1911–1918.

Del 3

- Ainsworth, M.D. (1964). Patterns of attachment behavior shown by the infant in interaction with his mother. *Merrill Palmer Q Behav Dev*, 10(1), 51–58.
- Allen, J.G., Fonagy, P. & Bateman, A.W. (2008). *Mentalizing in clinical practice*. Arlington, VA: American Psychiatric Association Publishing.
- American Psychiatric Association (APA) (2001). Practice guideline for the treatment of patients with borderline personality disorder. *Am J Psychiatry*, 158(10 Suppl), 1–52.
- Bach, B. & Presnall-Shvorin, J. (2020). Using DSM-5 and ICD-11 personality traits in clinical treatment. In K.L. Gratz & C.W. Lejuez (red.), *Cambridge handbook of personality disorders* (450–467). Cambridge: Cambridge University Press.
- Bateman, A. & Fonagy, P. (2008). 8-year follow-up of patients treated for borderline personality disorder: mentalization-based treatment versus treatment as usual. *Am J Psychiatry*, 165(5), 631–638.
- Bateman, A. & Fonagy, P. (2009). Randomized controlled trial of out-patient mentalization based treatment versus structured clinical management for borderline personality disorder. *Am J Psychiatry*, 166(12), 1355–1364.
- Bateman, A. & Fonagy, P. (2010). Mentalization based treatment for borderline personality disorder. *World Psychiatry*, 9(1), 11–15.
- Bateman, A. & Krawitz, R. (2013). *Borderline personality disorder: an evidence-based guide for generalist mental health professionals*. Oxford: Oxford University Press.
- Bateman, A. & Fonagy, P. (2016). *Mentalization-based treatment for personality disorders: a practical guide*. Oxford: Oxford University Press.
- Bateman, A. & Fonagy, P. (red.) (2019). *Handbook of mentalizing in mental health practice* (2 uppl.). Washington, DC: American Psychiatric Association Publishing.
- Bateman, A., Constantinou, M.P., Fonagy, P. & Holzer, S. (2020). Eight-year prospective follow-up of mentalization-based treatment versus structured clinical management for people with borderline personality disorder, *Personal Disord* [online ahead of print].
- Beck-Friis, J. (2005). *När Orfeus vände sig om: en bok om depression som förlorad självaktning*. Stockholm: Natur & Kultur.
- Bender, D.S., Morey, L.C. & Skodol, A.E. (2011). Toward a model for assessing level of personality functioning in DSM-5, part I: a review of theory and methods. *J Pers Assess*, 93(4), 332–346.
- Binks, C.A., Fenton, M., McCarthy, L., Lee, T., Adams, C.E. & Duggan, C. (2006). Pharmacological interventions for people with borderline personality disorder. *Cochrane Database Syst Rev*, (1), CD005653.
- Bjärehed, J. & Lundh, L.G. (2008). Deliberate self-harm in 14-year-old adolescents: how frequent is it, and how is it associated with psychopathology, relationship variables, and styles of emotional regulation? *Cogn Behav Ther*, 37(1), 26–37.
- Bowlby, J. (1982). *Attachment and loss, vol I: attachment*. London: Hogarth.
- Bowlby, J. (1988). *A secure base: clinical applications of attachment theory*. London: Routledge.
- Carey, B (2011, 23 juni). Expert on mental illness reveals her own fight. *New York Times*. Tillgänglig: archive.nytimes.com/www.nytimes.com/2011/06/23/health/23lives.html.
- Clarkin, J.F., Levy, K.N., Lenzenweger, M.F. et al. (2007): Evaluating three treatments for borderline personality disorder: a multiwave study. *Am J Psychiatry*, 164:922-928.

- Coccaro E.F., Kavoussi R.J. (1997). Fluoxetine and impulsive aggressive behavior in personality disordered subjects. *Arch Gen Psychiatry*, 54(12), 1081–1088.
- Cornelius, J.R., Soloff, P.H., Perel, J.M. & Ulrich, R.F. (1990). Fluoxetine trial in borderline personality disorder. *Psychopharmacol Bull*, 26(1), 151–154.
- Crawford M.J., Sanatinia R, Barrett B., et al. (2018). The clinical effectiveness and cost-effectiveness of lamotrigine in borderline personality disorder: a randomized placebo-controlled trial. *Am J Psychiatry*, 175(8), 756–764.
- Davidson, K., Norrie, J., Tyrer, P., Gumley, A., Tata, P., Murray, H. & Palmer, S. (2006). The effectiveness of cognitive behavioral therapy for borderline personality disorder: results from the borderline personality disorder study of cognitive therapy (BOSCAT) trial. *J Pers Disord*, 20(5), 450–465.
- Doering, S., Hoerz, S., Rentrop, M., et al. (2010). Transference-focused psychotherapy v treatment by community therapists for borderline personality disorder: randomized controlled trial. *Br J Psychiatry*, 196(5), 389–395.
- Ekselius L (2017). Personlighetssyndrom: Kliniska riktlinjer för utredning och behandling. Svensk psykiatri, Nr 17. Svenska psykiatriska föreningen och Gothia Fortbildning AB.
- Fairbairn, W.R.D. (1952). *An object-relations theory of the personality*. New York: Basic Books.
- Feigenbaum, J.D., Fonagy, P., Pilling, S., Jones, A., Wildgoose, A. & Bebbington, P.E. (2011). A real-world study of the effectiveness of DBT in the UK National Health Service. *Br J Clin Psychol*, 51(2), 121–141.
- Ferenczi, S. (2014). *Journal clinique: janvier–octobre 1932*. Paris: Payot.
- Fonagy, P., Gergely, G., Jurist, E.L. & Target, M. (2002). *Affect regulation, mentalization, and the development of the self*. New York: Other Press.
- Fonagy, P., Leigh, T., Steele, M., Steele, H., Kennedy, R., Mattoon, G., ... Gerber, A. (1996). The relation of attachment status, psychiatric classification, and response to psychotherapy. *J Consult Clin Psychol*, 64(1), 22–31.
- Gabbard, G.O., Horwitz, L., Frieswyk, S., Allen, J.G., Colson, D.B., Newsom, G. & Coyne, L. (1988). The effect of therapist interventions on the therapeutic alliance with borderline patients. *J Am Psychoanal Assoc*, 36(3), 697–727.
- Goyer P.F., Berridge M.S., Morris E.D., et al. (1996). PET measurement of neuroreceptor occupancy by typical and atypical neuroleptics. *J Nucl Med* 37(7), 1122–1127.
- Gratz, K.L. (2007). Targeting emotion dysregulation in the treatment of self-injury. *J Clin Psychol*, 63(11), 1091–1103.
- Gratz, K.L. & Gunderson, J.G. (2006). Preliminary data on an acceptance-based emotion regulation group intervention for deliberate self-harm among women with borderline personality disorder. *Behav Ther*, 37(1), 25–35.
- Gratz, K.L., Rosenthal, M.Z., Tull, M.T., Lejuez, C.W. & Gunderson, J.G. (2010). An experimental investigation of emotional reactivity and delayed emotional recovery in borderline personality disorder: the role of shame. *Compr Psychiatry*, 51(3), 275–285.
- Gratz, K.L. & Tull, M.T. (2011). Extending research on the utility of an adjunctive emotion regulation group therapy for deliberate self-harm among women with borderline personality pathology. *Personal Disord*, 2(4), 316–326.
- Gratz, K.L., Dixon-Gordon, K.L. & Tull, M.T. (2014). Predictors of treatment response to an adjunctive emotion regulation group therapy for deliberate self-harm among women with borderline personality disorder. *Personal Disord*, 5(1), 97–107.

- Greenberg, L., Safran, J. (1987). Emotion in psychotherapy. New York. Guilford Press.
- Gunderson, J.G. & Links, P.S. (2014). *Handbook of good psychiatric management for borderline personality disorder*. Washington, DC: American Psychiatric Association Publishing.
- Gunderson, J.G., Choi-Kain L.W. (2018). Medication management for patients with borderline personality disorder. *Am J Psychiatry*, 175(8), 709–711.
- Gunderson, J.G., Herpertz, S.C., Skodol, A.E., Torgersen, S. & Zanarini, M. (2018). Borderline personality disorder. *Nat Rev Dis Primers*, 4, 18029.
- Haak, N. (1982). *Allmän neuroslära*. Natur och Kultur.
- Hayes, S.C., Strosahl, K.D., Wilson, K.G., Sandoz, E.K. & Craske, M.G. (2016). *Acceptance and commitment therapy: the process and practice of mindful change*. New York: Guilford Press.
- Ingenhoven, T., Lafay, P., Rinne, T., Passchier, J. & Duivenvoorden, H. (2010). Effectiveness of pharmacotherapy for severe personality disorders: meta-analyses of randomized controlled trials. *J Clin Psychiatry*, 71(1), 14–25.
- Ingenhoven, T. (2015). Pharmacotherapy for borderline patients: business as usual or by default? *J Clin Psychiatry*, 76:e 522-523.
- Kernberg, O.F. (1967). Borderline personality organization. *J Am Psychoanal Assoc*, 15(3), 641–685.
- Kernberg, O.F. (1997). *Aggression: i samband med personlighetsstörningar och perversjoner*. Stockholm: Natur & Kultur.
- Kernberg, O.F. (1988). *Svåra personlighetsstörningar: psykoterapeutiska strategier*. Stockholm: Natur & Kultur.
- Kernberg, O.F., Yeomans, F.E., Clarkin, J.F. & Levy, K.N. (2008). Transference focused psychotherapy: overview and update. *Int J Psychoanal*, 89(3), 601–620.
- Klein, M. (1946). Notes on some schizoid mechanisms. *Int J Psychoanal*, 27, 99–110.
- Knight, R.P. (1953). Borderline states. *Bull Menninger Clin*, 17(1), 1–12.
- Knight, R.P. (1953). Management and psychotherapy of the borderline schizophrenic patient. *Bull Menninger Clin*, 17(4), 139–150.
- Leichsenring, F., Leibing, E., Kruse, J., New, A.S. & Leweke, F. (2011). Borderline personality disorder. *Lancet*, 377(9759), 74–84.
- Lekka N.P., Paschalis C, Beratis S. (2002). Suicide attempts in high-dose benzodiazepine users. *Compr Psychiatry*, 43(6), 438–442.
- Levy, K.N., Beeney, J.E. & Temes, C.M. (2011). Attachment and its vicissitudes in borderline personality disorder. *Curr Psychiatr Rep*, 13(1), 50–59.
- Levy, KN., Meehan, KB., Kelly, KM., et al. (2006): Change in attachment patterns and reflective function in a randomized control trial of transference focused psychotherapy for borderline personality disorder. *J Consult Clin Psychol*, 74(6), 1027–1040.
- Lieb, K., Völl, M., Rücker, G., Timmer, A. & Stoffers, J.M. (2010). Pharmacotherapy for borderline personality disorder: Cochrane systematic review of randomised trials. *Br J Psychiatry*, 196(1), 4–12.
- Liebermann, L.P. (1964). Case history of a borderline personality. *Br J Med Psychology*, 37(4), 301–312.
- Linehan, M.M. (1993). *Cognitive-behavioral treatment of borderline personality disorder*. New York: Guilford Press.

- Linehan, M.M. (1997). Validation and psychotherapy. In A.C. Bohart & L.S. Greenberg (red.), *Empathy reconsidered: new directions in psychotherapy* (353–392). Washington, DC: American Psychological Association.
- Linehan, M.M. (2015). *DBT skills training manual* (2 uppl.). New York: The Guilford Press.
- Linehan M.M. (2016). Dialektisk beteendeterapi, arbetsblad för färdighetsträning, Natur & Kultur
- Linehan, M.M. (2020). *Building a life worth living: a memoir*. New York: Random House.
- Links, P.S., Mitton, J.E. & Steiner, M. (1990). Predicting outcome for borderline personality disorder. *Compr Psychiatry*, 31(6), 490–498.
- Little, M. (1966). Transference in borderline states. *Int J Psychoanal*, 47(6), 476–485.
- Maunder, R.G. & Hunter, J.J. (2001). Attachment and psychosomatic medicine: developmental contributions to stress and disease. *Psychosom Med*, 63(4), 556–567.
- Markovitz, P.J. & Wagner, S.C. (1995). Venlafaxine in the treatment of borderline personality disorder. *Psychopharmacol Bull*, 31(4), 773–777.
- McMain, S.F., Links, P.S., Gnam, W.H., Guimond, T., Cardish, R.J., Korman, L. & Streiner, D.L. (2009). A randomized controlled trial of dialectical behaviour therapy versus general psychiatric management for borderline personality disorder. *Am J Psychiatry*, 166(12), 1365–1374.
- McMain, S.F., Guimond, T., Streiner, D.L., Cardish, R.J. & Links, P.S. (2012). Clinical outcomes and functioning post-treatment: a two-year follow-up of dialectical behavior therapy versus general psychiatric management for borderline personality disorder. *Am J Psychiatry*, 169(6), 650–661.
- Mercer D., Douglass, A.B. & Links P.S. (2009). Meta-analyses of mood stabilizers, antidepressants and antipsychotics in the treatment of borderline personality disorder: effectiveness for depression and anger symptoms. *J Pers Disord*, 23(2), 156–174.
- Nationella självskadeprojektet (2015). *Rekommendationer för insatser vid självskadebeteende: nationellt kvalitetsdokument för psykiatrin*. Tillgänglig: nationellasjalvskadeprojektet.se/wp-content/uploads/2015/12/Rekommendationer-Sj%a4lvskadabeteende-rev-2016.pdf
- Nosé, M., Cipriani, A., Biancosino, B., Grassi, L. & Barbui, C. (2006). Efficacy of pharmacotherapy against core traits of borderline personality disorder: meta-analysis of randomized controlled trials. *Int Clin Psychopharmacol*, 21(6), 345–353.
- Ogden, T.H. (1987). *Projektiv identifikation och psykoterapeutisk teknik*. Stockholm: Natur & Kultur.
- Rosenthal, Z.M., Gratz, K.L., Kosson, D.S., Cheavens, J.S., Lejuez, C. & Lynch, T.R. (2008). Borderline personality disorder and emotional responding: a review of the research literature. *Clin Psychol Rev*, 28(1), 75–91.
- Sahlin, H., Bjureberg, J., Gratz, K.L., Tull, M.T., Hedman-Lagerlöf, E., Bjärehed, J., ... Ljótsson, B. (2019). Predictors of improvement in an open-trial multisite evaluation of emotion regulation group therapy. *Cogn Behav Ther*, 48(4), 322–336.
- Sandler, J. & Sandler, A.M. (1994). The past unconscious and the present unconscious: a contribution to a technical frame of reference. *Psychoanal Study Child*, 49(1), 278–292.
- Saunders, E.F.H. & Silk, K.R. (2009). Personality trait dimensions and the pharmacological treatment of borderline personality disorder. *J Clin Psychopharmacol*, 29(5), 461–467.
- Stern, A. (1938). Psychoanalytic investigation of and therapy in the border line group of neuroses. *Psychoanal Q*, 7(4), 467–489.

- Stoffers-Winterling, J., Storebø, O.J. & Lieb, K. (2020). Pharmacotherapy for borderline personality disorder: an update of published, unpublished and ongoing studies. *Curr Psychiatry Rep*, 22(8), 37.
- The British Psychological Society & The Royal College of Psychiatrists (2009). *Borderline personality disorder: the NICE guideline on treatment and management*. Leicester: British Psychological Society.
- The National Health and Medical Research Council (2012). Clinical Practice Guideline for Management of Borderline Personality Disorder. Melbourne, Australia, National Health and Medical Research Council.
- Thome, J., Liebke, L., Bungert, M., Schmahl, C., Domes, G., Bohus, M. & Lis, S. (2016). Confidence in facial emotion recognition in borderline personality disorder. *Personal Disord*, 7(2), 159–168.
- Tyrer, P. & Silk, K.R. (2011). A comparison of UK and US guidelines for drug treatment in borderline personality disorder. *Int Rev Psychiatry*, 23(4), 388–394.
- Vogt, K.S., Norman, P. (2019). Is mentalization-based therapy effective in treating the symptoms of borderline personality disorder? A systematic review. *Psychol Psychotherapy*, 92(4), 441–464.
- Yeomans, F.E., Clarkin, J.F. & Kernberg, O.F. (2015). *Transference-focused psychotherapy for borderline personality disorder: a clinical guide*. Washington, DC: American Psychiatric Publishing.
- Zanarini, M.C., Frankenburg, F.R., M.D., D. Bradford Reich, D. & Fitzmaurice, G. (2012). Attainment and stability of sustained symptomatic remission and recovery among borderline patients and axis II comparison subjects: a 16-year prospective follow-up study. *Am J Psychiatry*, 169(5), 476–483.
- Zanarini, M.C., Temes, C.M., Frankenburg, F.R., Bradford Reich, D. & Fitzmaurice, G.M. (2018). Description and prediction of time-to-attainment of excellent recovery for borderline patients followed prospectively for 20 years. *Psychiatry Res*, 262, 40–45.